Forcorp Pty Ltd

Railway Accessories



CONTACT US FOR MORE INFORMATION







DROPPER TABLE

- Steel Construction work table used to create different wire forms
- Table Top metal ruler to measurer 0-3000mm
- Unique locking design to ensure each wire jig is secure and easily moveable for accurate measurement.
- Attachments available to mount to table include: various wire jigs, straightening rollers & wire guillotine.
- include, Various Wire Jigs, Straightening Rollers and Wire Guillotine
- Dimensions 3000mm X 900mm X 460mm
- Weight 80kgs Approx

ROLL PIN EXTRACTOR

- Unique tool designed to be used specifically for the removal of roll pins
- Supplied for the use with two different sizes 5/16" and ¹/₄"
- Dimensions 150mm X 100mm X 25mm
- Weight 1kgs Approx

DROPPER KEY

- A handy tool which is part of every linesman's tool kit
- Used to form and bend 4mm wire.
- Dimensions 200mm X 20mm X 10mm
- Weight 0.1kgs Approx





• Choice of mounting clamps.



CENTENARY WIRE CLAMP

- Used to create a temporary tension member over a damaged centenary wire until an effective repair can be carried out.
- Built to cope with line tension of up to 11kn
- Easy to install with the use of telescopic rods limiting the need for a line closure
- Dimensions 530mm X 250mm X 100mm
- Weight 5.5Kgs

CONTACT WIRE DE-KINKER

- Contact Wire Straightening Tool
- Manual handle operation for easy and efficient use
- Dimensions 260mm X 150mm X20mm
- Weight 3.5 kgs







INFORMATION



TUBE DIES

- 100 Ton compression dies used to compress galvanised tube and position fitting in place
- Sizes available: 26.9, 42.3 & 48.4mm.
- Other sizes available on request.
- To be used with a HB100 Ton Compression Head
- Weight per die set 5kgs Approx



WIRE TWISTER

- Positioning tool for 13mm Copper Wire.
- Durable and Robust design
- Available in a heavy duty version
- Dimensions: 290mm x 40mm x 90mm
- Weight: 0.5kg



TRACK MEASURING WHEEL

- Large display mechanical counter.
- Adds forward, subtracts in reverse.
- Range 0-99999.9m or yards, Accuracy +/- 1%
- 12 month warranty.
- **Folding handle**
- Flange wheel guides keep the unit "on track"

